

## NOTE XXVI.

THE SPECIES OF LUCANOID COLEOPTERA  
HITHERTO KNOWN AS INHABITING  
THE ISLAND OF JAVA

ENUMERATED BY

**C. RITSEMA Cz.**  

---

**Hexarthrius** Hope.**Buqueti** Hope. — Various localities, in Mus. Leyd.**rhinoceros** Oliv. — Without more definite locality, in Mus.  
Leyd.**Cladognathus** Burm.**giraffa** Fabr. — Various localities, in Mus. Leyd.**Metopodontus** Hope.**cinnamomeus** Guér. — Various localities, in Mus. Leyd.**Mohnikei** Parry. — Mt. Ardjoeno, in Mus. Leyd.**occipitalis** Hope. — Various localities, in Mus. Leyd.**sericeus** Westw. -- *Conf.* Trans. Ent. Soc. Lond. IV, p. 274.**Prosopocoelus** Hope.**elegantulus** Albers. — Mt. Tengger, teste Albers: Deuts.  
Ent. Zeits. 1891, p. 76.**Pasteuri** Rits. — Mt. Poentjak, in Mus. Leyd.**Rosenbergii** Voll. — Buitenzorg, in Mus. Leyd.<sup>1)</sup>**tarsalis** Rits. — Magelang, in Mus. Leyd.

---

1) I am informed by Mr. J. D. Pasteur that a male and a female of this species have been captured by him on Mt. Poentjak, on the frontier between the districts of Buitenzorg and Preanger.

**Cyclommatus** Parry.

*faunicolor* Hope. — *Conf.* Trans. Ent. Soc. Lond. IV, p. 273.  
*Frey-Gessneri* Rits. — Mt. Poentjak, in Mus. Leyd.

**Odontolabis** Hope.

*bellicosus* Casteln. — Various localities, in Mus. Leyd.

**Chalcodes** Westw.

*aeratus* Hope. — Mt. Ardjoeno, teste Gestro: Ann. Mus.  
 Civ. Genova, XVI, 1881, p. 313.

**Neolucanus** Thoms.

*laticollis* Thunb. — Various localities, in Mus. Leyd.

**Eurytrachelus** Thoms.

*bucephalus* Perty (= *bubalus* Perty). — Various localities,  
 in Mus. Leyd.

*eurycephalus* Burm. (= *Candezei* Parry = *Lansbergei* Gestro  
 = *Vollenhovii* Albers). — Various localities, in Mus.  
 Leyd.

*gypaëtus* Casteln. (= *saiga* Burm. nec Oliv.). — Various  
 localities, in Mus. Leyd.

**Dorcus** Mc. Leay.

*Parryi* Thoms. — Mt. Poentjak, in Mus. Leyd.

**Hemisodorcus** Thoms.

*passaloides* Hope. — Without more definite locality, in Mus.  
 Leyd.

**Gnaphaloryx** Burm.

*opacus* Burm. (nec = *taurus* Fabr.). — Mt. Poentjak, in  
 Mus. Leyd.

*squalidus* Hope. — Mt. Poentjak, in Mus. Leyd.

**Aegus** Mc. Leay.

*acuminatus* Fabr. — Various localities, in Mus. Leyd.

*impressicollis* Parry. — Tjibodas, teste Gestro: Ann. Mus. Civ. Genova, XVI, 1881, p. 332.

species? (an *lunatus* Weber). — Tjibodas, teste Gestro: Ann. Mus. Civ. Genova, XVI, 1881, p. 332.

**Figulus** Mc. Leay.

*marginalis* Rits. — Without more definite locality, in Mus. Leyd.

*subcastaneus* Westw. — Without more definite locality, in Mus. Leyd.

**Cardanus** Westw.

*sulcatus* Westw. — Without more definite locality, in Mus. Leyd.

In the above list 29 Javanese species are enumerated, whereas 26 species are recorded as such by Dr. Gestro in his tabular view of the geographical distribution of the Lucanidae in the Eastern Archipelago (Ann. Mus. Civ. Genova, XVI, 1881). Of two of these latter this habitat is, however, very doubtful:

*Cyclommatus Dehaani* Westw. (= *affinis* Parry), a species known as inhabiting Borneo and Sumatra, but noticed from Java by Parry (Cat. Lucan. 1st Ed. 1864, p. 84, 2nd Ed. 1870, p. 109 and 3rd Ed. 1875, p. 12), by the Authors of the Munich Catalogue (vol. III, 1868, p. 953) and by Gestro (Ann. Mus. Civ. Genova, XVI, 1881, tab. view). — There are two male specimens of this species in the Leyden Museum labelled »Bandong (Sijthoff)”, but I have good reasons to believe this indication to be erroneous, as well as that of a male specimen of the Bornean *Cyclommatus tarandus* Thunb. from the same consignment.

*Eurytrachelus Titan* Boisd., a species known from Celebes, Borneo, Sumatra and Nias, but recorded from Java in the Munich Catalogue (vol. III, p. 958) and by Dr. Gestro (*l. c.*).

*Metopodontus castaneus* Hope is likewise recorded from J a v a in the Munich Catalogue (vol. III, p. 950), but this is a continental species (conf. Parry's Cat. Lucan. 2nd Ed. p. 108, and 3rd Ed. p. 10).

Finally, Dr. Fr. Leuthner in his »Monograph of the Odon-  
tolabini" (pp. 459 and 460) mentions with doubt as  
J a v a n e s e species:

*Odontolabis Vollenhovii* Parry, from West Java (a telodont  
♂ in coll. Oberthür, olim Lansberge) and

*Odontolabis Ludekingii* Voll., from Bandong, Sijthoff (a te-  
lodont (?) ♂ in Mus. Leyd.), whereas

*Odontolabis siva* Hope, of which specimens said to be from  
J a v a occur in the Leyden Museum under the name  
of *O. carinatus* Linn., is, without hesitation, rejected  
by him as a native of this island (*l. c.* p. 438).

Leyden Museum, February 1892.